



Inactivate Reason - DA1030

Table of Contents

Inactivate Reason - DA1030	i
Inactivate Reason - DA1030	1

Inactivate Reason - DA1030

District Administration > Tables > PMIS > Inactivate Reason

This page is used to create and maintain a list of deactivate reason codes to be used throughout the Position Management Information System (PMIS). When a position is changed to an inactive status, you are prompted to enter a reason, which is saved in the historical records.

Add an deactivate reason code:

A list of existing deactivate reason codes is displayed in the grid.

Field	Description
Starting Inactivate Reason	Type the starting deactivate action reason code to narrow the results displayed on the page, and click Retrieve .

Click **+Add**. A row is added to the grid.

Field	Description
Inactivate Reason	Type a unique action reason code. The field must be two characters.
Inactivate Reason Description	Type the deactivate reason description. The field can be a maximum of 30 characters.

Click **Save**.

Other functions and features:

Retrieve	Retrieve data. Click to retrieve information from the last save. If you click Retrieve , any unsaved changes will be lost.
Print	Print the report. Click to print the PMIS Inactivate Reason report. Review the report.
	Delete a row. Click to delete a row. The row is shaded red to indicate that it will be deleted when the record is saved. Click Save . A message is displayed asking if you want to delete the row. Click OK . Click Cancel to not delete the row.