



AP Test Scores Import

Table of Contents

AP Test Scores Import	1
------------------------------------	----------

AP Test Scores Import

Column #	Column Name	Optional	Data Type	Comment
Student Information				
1	AP Number / AP ID	No	VARCHAR2(8)	Student's AP registration number/ID for this exam administration. This is unique per student per administration year.
17	Grade Level	No	VARCHAR2(2)	3 = < 9th Grade 4 = 9th Grade 5 = 10th Grade 6 = 11th Grade 7 = 12th Grade 8 = No longer in high school 11 = Unknown
26, 28, 30, 32, 34, 36	Award Type [N] (where n represents the number of occurrences (1-6))	Yes	VARCHAR2(2)	01 = AP Scholar 02 = AP Scholar with Honor 03 = AP Scholar with Distinction 04 = State AP Scholar 05 = National AP Scholar 06 = National AP Scholar (Canada) 07 = AP International Diploma 08 = DoDEA AP Scholar 09 = International AP Scholar 12 = National AP Scholar (Bermuda) 13 = AP Capstone Diploma 14 = AP Seminar and Research Certificate
27, 29, 31, 33, 35, 37	Award Year [N] (where n represents the number of occurrences (1-6))	Yes	VARCHAR2(2)	Format = YY (year in which the student qualified for the award)
High School Information				
48	College Code	Yes	VARCHAR2(6)	Format = 00####. Unique code identifying the college, university, or scholarship program to which the student has requested to send AP scores
241	Date of this report	No	VARCHAR2(6)	

Up to 30 sets of AP scores can be imported, with a separate record for each set of AP scores starting at column 59.

The first set of AP Scores are in columns 59-64.

The second set are in columns 65-70, etc.

Each record will contain all of the columns above plus the following:

- Admin Year (column 59 for the first set of scores, 65 for the second set of scores, etc., up to 30 sets)
- Exam Code (column 60 for the first set of scores, 66 for the second set of scores, etc., up to 30 sets)

sets)

- Exam Score (column 61 for the first set of scores, 67 for the second set of scores, etc., up to 30 sets)
- Irregularity Code 1 (column 62 for the first set of scores, 68 for the second set of scores, etc., up to 30 sets)
- Irregularity Code 2 (column 63 for the first set of scores, 69 for the second set of scores, etc., up to 30 sets)
- Class Section Code (column 64 for the first set of scores, 70 for the second set of scores, etc., up to 30 sets)

NOTE: The Last Name, First Name, Middle Initial, Sex, and Date of Birth contained in the import file are used to match to the local student ID for students already in the database and ensure that the record in the import file links to the correct student in the database. The local ID is matched to the imported record.

Prior to 2018, social security number (SSN) was contained in the import file and used to match the ID for students. Files after 7/11/2018 will not have the SSN.



Back Cover