

SHS0290 - Spinal Screening Due List

i

Table of Contents

SHS0290 - Spinal Screening Due List	 1

SHS0290 - Spinal Screening Due List

Health > Reports > Health Reports > Screenings > SHS0290 - Spinal Screening Due List

This report lists all students who are due for spinal screening for the current school year. The list can also be produced for first-time students (i.e., students who are new to the district).

Per the Spinal Screening Policy effective for the 2018-2019 school year:

- Girls are screened two times: Age 10 (or fall semester of grade 5) and age 12 (or fall semester of grade 7).
- Boys are screened one time: Age 13 or 14 (or fall semester of grade 8).

You must specify either grade level or age. If you specify an age, you must enter the **Age As of Date**.

Run the report:

Parameter	Description
Campus ID (Blank for All)	Type the three-digit campus ID, or click it to select the campus. Leave blank to select all campuses in the district.
	NOTE: If you select to create the report for all campuses, any campuses excluded from district reporting (i.e., campuses that have the Exclude from District Reporting field selected on Registration > Maintenance > Campus Profile > Campus Information Maintenance > Control Info) are not included in the report. However, you can generate the report for an individual excluded campus by entering the campus ID.
Active Code (1=Active, 2=Inactive, Blank for All)	1 - Select active students only.
	2 - Select inactive students only. Blank - Select all students.
Grade Level (Blank for All)	Type the two-character grade level, click [‡] to select the grade level, or leave blank to select all grade levels.
Gender (M, F, Blank for All)	M - Select male students only.
	F - Select female students only.
	Blank - Select all students.
Student ID (Blank for All)	Type the six-digit student ID number, including all leading zeros. Or, click it to select the student. Leave blank to select all students.

Student

Parameter	Description
Female Age (1=10, 2=12, 3=Both, Blank for All)	1 - Select girls age 10.
	2 - Select girls age 12.
	3 - select girls ages 10 and 12.
	Blank - Select all girls.
	If not blank, specify the Age As of Date parameter. Female Age and Male Age cannot both be blank if Age As of Date has a value.
Male Age (1=13, 2=14, Blank for All)	1 - Select boys age 13.
	2 - Select boys age 14.
	Blank - Select all boys.
	If not blank, specify the Age As of Date parameter. Female Age and Male Age cannot both be blank if Age As of Date has a value.
Age As of Date (MMDDYYYY)	If you specified a Female Age or Male Age , enter the date by which the students reached that age. This parameter cannot be blank if Female Age and/or Male Age has a value.
	NOTE: When Female Age and/or Male Age is entered, this date will be used as the report date; otherwise, the current date is used.
1st Time Students (Y=Only First, N=Not First, Blank for	Y - Select only first-time students.
AII)	N - Do not include first-time students.
	Blank - Select all students.

Other functions and features:

	Sort/Filter Reset
Discipline/Attendance Suspension Discrepancies	Program ID: SDS1700
Sort/Filter	X
👻 🗸 Sort Criteria	
Columns Available for Sorting	Sort Columns
05 Discp Actn Date (YYYYMMDD)	Attendance Date Ascending
Discrepancy ISS/OSS	
From Date (YYYYMMDD)	Campus ID Ascending
Grd Lvl Incident Number	
Name	
PEIMS Action Code	
Period 00	
Period UU	
Period 00 Period 01	
Period 01	-
Period 01	-
Period 01	- OK Cancel
Period 01	OK Cancel
Period 01	OK Cancel
Period 01	OK Cancel
Period 01 Period 02	
Period 01 Period 02	Click the field by which you want to sort, and then click \ge . The field moves to the right grid
(Left grid) Columns Availabl	Click the field by which you want to sort, and then click \ge . The field moves to the right grid continue moving fields to the right grid as needed.
(Left grid) Columns Availabl	Click the field by which you want to sort, and then click 2. The field moves to the right grid Continue moving fields to the right grid as needed. You can rearrange the fields to indicate the order in which you want the sort applied. Click a
(Left grid) Columns Availabl	Click the field by which you want to sort, and then click \ge . The field moves to the right grid continue moving fields to the right grid as needed.
(Left grid) Columns Availabl	Click the field by which you want to sort, and then click . The field moves to the right grid Continue moving fields to the right grid as needed. You can rearrange the fields to indicate the order in which you want the sort applied. Click a name, and drag it up or down to a new location.
(Left grid) Columns Availabl	Click the field by which you want to sort, and then click . The field moves to the right grid Continue moving fields to the right grid as needed. You can rearrange the fields to indicate the order in which you want the sort applied. Click a name, and drag it up or down to a new location. In the right grid, for each field, indicate if you want that data sorted in ascending (e.g., A-2
(Left grid) Columns Availabl	Click the field by which you want to sort, and then click . The field moves to the right grid Continue moving fields to the right grid as needed. You can rearrange the fields to indicate the order in which you want the sort applied. Click a name, and drag it up or down to a new location.
(Left grid) Columns Availabl	Click the field by which you want to sort, and then click . The field moves to the right grid Continue moving fields to the right grid as needed. You can rearrange the fields to indicate the order in which you want the sort applied. Click a name, and drag it up or down to a new location. In the right grid, for each field, indicate if you want that data sorted in ascending (e.g., A-2

	e report window, click Sort/Filter to open the Sort/Filter wind iteria to expand the Filter Criteria section.	low. By default, the Sort Criteria se	ection is expanded. Clic
	Feet 4 🕨 Last	Sort/Filter Reset	
Discipline	Attendance Suspension Discrepancies Program ID: SDS12	700	
Sort/F	ilter	X	
	Sort Criteria		
05	Filter Criteria		
	Add Criterion Delete Selected		
	Column Operator Value	Logical	
	Attendance Date (YYYYMMDD) • = •	AND V	
	□ Campus ID v = v		
	ОК	Cancel	
	port does not allow sorting, the Filter button is displayed inst	tead of the Sort/Filter button, and s	ort criterion fields are i
available	<u>.</u>		
	d Criterion to add new filter criteria. A blank row is added to	o the grid.	
Column	Select a field by which to filter the data. The drop down lis	ts the columns that appear on the re	eport.
Operato	or Select an operator.		
	= Equals		
	≠ Not equals		
	 ✓ Not equals > Greater than ≥ Greater than or equal to 		
	≠ Not equals > Greater than		
Value	 ✓ Not equals > Greater than ≥ Greater than or equal to < Less than 	you selected a date in the Column	field, type a date to vie
Value	 ≠ Not equals > Greater than ≥ Greater than or equal to < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if 		field, type a date to vie
Value	 ≠ Not equals > Greater than ≥ Greater than or equal to < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if only data for a specific date. Note: When filtering report data by date, you must use th • If the date is displayed in the MM/DD/YYYY format, the filtering the table of table of the table of table	e following formats: lter value must be in the YYYYMMDD	format.
Value	 ≠ Not equals > Greater than ≥ Greater than or equal to < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if only data for a specific date. Note: When filtering report data by date, you must use the 	e following formats: Iter value must be in the YYYYMMDD value must be in the YYYYMM forma	format.
Value	 ≠ Not equals > Greater than ≥ Greater than or equal to < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if only data for a specific date. Note: When filtering report data by date, you must use th If the date is displayed in the MM/DD/YYYY format, the filter 	e following formats: Iter value must be in the YYYYMMDD value must be in the YYYYMM forma	format.
Value Add Crit	 ✓ Not equals > Greater than ≥ Greater than or equal to < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if only data for a specific date. Note: When filtering report data by date, you must use th If the date is displayed in the MM/DD/YYYY format, the filter If the date is displayed in the MM/YYYY format, the filter va 	e following formats: Iter value must be in the YYYYMMDD value must be in the YYYYMM forma lue must be in the YYMM format. gical field. Continue adding rows as	format. t.
	 ✓ Not equals > Greater than ≥ Greater than or equal to < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if only data for a specific date. Note: When filtering report data by date, you must use th If the date is displayed in the MM/DD/YYYY format, the filter If the date is displayed in the MM/YYY format, the filter value is displayed in the MM/YYYY format, the filter value is displayed in the MM/YYY format, the filter value is displayed in the MM/YYY format, the filter value is displayed in the MM/YYY format, the filter value is displayed in the MM/YYY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the date is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter value is displayed in the MM/YY format, the filter is displayed in the MM/YY	e following formats: Iter value must be in the YYYYMMDD value must be in the YYYYMM format lue must be in the YYMM format. gical field. Continue adding rows as idd an additional row.	format. t. needed. The Logical fi
	 ✓ Not equals > Greater than ≥ Greater than or equal to < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if only data for a specific date. Note: When filtering report data by date, you must use th • If the date is displayed in the MM/DD/YYYY format, the filter • If the date is displayed in the MM/YYY format, the filter • If the date is displayed in the MM/YYY format, the filter va 	e following formats: Iter value must be in the YYYYMMDD value must be in the YYYYMM format lue must be in the YYMM format. gical field. Continue adding rows as idd an additional row. cause the program looks only for rec	format. t. needed. The Logical fi ords that contain both
Add Crit	 ✓ Not equals > Greater than ≥ Greater than or equal to < Less than < Less than or equal to Type the value by which you want to filter. For example, if only data for a specific date. Note: When filtering report data by date, you must use th If the date is displayed in the MM/DD/YYYY format, the filter If the date is displayed in the MM/DD/YYYY format, the filter If the date is displayed in the MM/YYYY format, the filter va Kerion Add another row. Select the logical connector (AND or OR) in the Log does not appear until you click Add Criterion to a Using the AND operator limits search results, bear criterion. 	e following formats: Iter value must be in the YYYYMMDD value must be in the YYYYMM format lue must be in the YYMM format. gical field. Continue adding rows as idd an additional row. cause the program looks only for rec ecause the program looks for record	format. t. needed. The Logical fi ords that contain both
Add Crit	 ✓ Not equals > Greater than ≥ Greater than or equal to < Less than < Less than or equal to Type the value by which you want to filter. For example, if only data for a specific date. Note: When filtering report data by date, you must use th If the date is displayed in the MM/DD/YYYY format, the filter If the date is displayed in the MM/DD/YYYY format, the filter If the date is displayed in the MM/YYY format, the filter va terion Add another row. Select the logical connector (<i>AND</i> or <i>OR</i>) in the Log does not appear until you click Add Criterion to a Using the AND operator limits search results, be criterion. Using the OR operator expands search results, be criterion or the other, or both. 	e following formats: Iter value must be in the YYYYMMDD value must be in the YYYYMM format lue must be in the YYMM format. gical field. Continue adding rows as idd an additional row. cause the program looks only for rec ecause the program looks for record	format. t. needed. The Logical fi ords that contain both
Add Crit Delete S Click OK	 ✓ Not equals > Greater than ≥ Greater than or equal to < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if only data for a specific date. Note: When filtering report data by date, you must use th • If the date is displayed in the MM/DD/YYYY format, the filter • If the date is displayed in the MM/YYY format, the filter • If the date is displayed in the MM/YYY format, the filter va terion Add another row. Select the logical connector (AND or OR) in the Log does not appear until you click Add Criterion to a • Using the AND operator limits search results, bec criterion. • Using the OR operator expands search results, bec criterion or the other, or both. Select the row, and then click the button. The row	e following formats: Iter value must be in the YYYYMMDD value must be in the YYYYMM format lue must be in the YYMM format. gical field. Continue adding rows as idd an additional row. cause the program looks only for rec ecause the program looks for record	format. t. needed. The Logical fi ords that contain both
Add Crit Delete S Click OK Click Car	 ✓ Not equals > Greater than ≥ Greater than or equal to < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if only data for a specific date. Note: When filtering report data by date, you must use th • If the date is displayed in the MM/DD/YYYY format, the filter • If the date is displayed in the MM/YYY format, the filter va * If the date is displayed in the MM/YYY format, the filter va • If the date is displayed in the MM/YYY format, the filter va * If the date is displayed in the MM/YYY format, the filter va • Using the logical connector (AND or OR) in the Log does not appear until you click Add Criterion to a • Using the AND operator limits search results, be criterion. • Using the OR operator expands search results, be criterion or the other, or both. Selected Delete selected row. Select the row, and then click the button. The row to apply the selected filter criteria to the report. 	e following formats: Iter value must be in the YYYYMMDD value must be in the YYYYMM format lue must be in the YYMM format. gical field. Continue adding rows as idd an additional row. cause the program looks only for rec ecause the program looks for record	format. t. needed. The Logical fi ords that contain both

Student

Reset Reset report data. Click to restore the report to the original view, removing all sorting and filtering that has been applied.



Back Cover