



# Bilingual/ESL



# Table of Contents

**Bilingual/ESL** ..... 1



# Bilingual/ESL

## Registration > Maintenance > Student Enrollment > Bil/ESL

This tab allows you to view and update information for students who participate in a bilingual or English as a second language (ESL) program.

- Emergent Bilingual (EB) students must be identified as EB, and a parental permission code is required.
- Local Program Code BPT (Bilingual Program Type) or EPT (ESL Program Type) must be added for students that are Emergent Bilingual 1, Bilingual 0, ESL 0, Alt Lang 0 and have a Parental Permission C, 7, 8.
- Students who are not EB can be enrolled in a bilingual or ESL program, and the parental permission code must reflect that the placement is for a non-EB student.

The Bil/ESL tab is not available until you retrieve a student on the [Student Enrollment](#) page. For a new student, you must enter and save all required data on [Demo1](#) before proceeding to this tab.

### Funding:

- Non-EB students are not eligible for funding.
- A bilingual or ESL student who is placed in a disciplinary setting, and ESL/BIL services are not provided during that time, is not eligible for funding.
- Other students may also not be eligible for funding. See the Student Attendance Accounting Handbook, Section 6 - Bilingual/English as a Second Language (ESL) for more information.





See the [Descriptor Table Guide for Bilingual and English as a Second Language \(ESL\) Programs](#) for coding guidance from TEA.

### Update data:







The student's existing bilingual/ESL entry/withdrawal/reentry records are displayed. If the most recent row contains an exit date and withdrawal reason code, you can add a record.

Click **+Add** to add a record.

The fields below the grid are enabled.

<b>Yrs US Sch</b>	If the number of years the student has been enrolled in U.S. schools has changed, select the number of years. This field is automatically incremented during Move to Grade Reporting.				
<b>Date HLS Admin</b>	<p>Enter the date on which the <i>Home Language Survey</i> form was administered. Use the MMDDYYYY format. Or, click  to select the date from a calendar.</p> <p>This field can only be saved when both the <b>Home Language</b> and <b>Student Language</b> fields have values.</p> <p>You cannot enter a future date.</p>				
<b>Campus</b>	The campus ID to which you logged on is displayed.				
<b>Entry Date</b>	<p>To enroll a student in the program, type the date the student entered the program. Use the MMDDYYYY format. Or, click  to select the date from a calendar.</p> <p>If there are existing entry/withdrawal records for the student, the entry date for the new record must be after the last exit date.</p> <p>The student can have only one active record (i.e., a record without an exit date).</p> <p>The entry/exit dates for different records cannot overlap.</p>				
<b>Exit Date</b>	<p>To withdraw a student from the program, type the date the student exited from the program. Use the MMDDYYYY format. Or, click  to select the date from a calendar.</p> <p>The exit date should be the school day following the last day the student was in the program.</p>				
<b>Reason</b>	<p>If you are withdrawing the student from the program, click  to <a href="#">select the withdrawal reason</a>.</p> <p>If the student is exiting the program, select EP (<i>exit program</i>).</p> <table border="1"> <tr> <td style="text-align: center;"><b>+33</b></td> <td> <ol style="list-style-type: none"> <li>Click  to do a status change. <ul style="list-style-type: none"> <li>A row is added to the grid that displays the default entry date, which is the same as the withdrawal date. This ensures that you do not lose any membership days by typing the incorrect entry date for the status change.</li> <li>The fields display the data from the previous row by default.</li> </ul> </li> <li>Modify any information that changed for the entry date.</li> <li>Click <b>Save</b> to save the status change.</li> </ol> </td> </tr> <tr> <td style="text-align: center;"><b>-33</b></td> <td> <p>If you entered a status change in error (e.g., the wrong student or wrong withdrawal or entry date), click  to remove the status change for the student. When you save, the exit date and exit reason are cleared, and the new row is removed from the grid.</p> <ol style="list-style-type: none"> <li>Click  in the the second row. This creates a new row (now 3 rows).</li> <li>Click  in the second row. This removes the third row.</li> <li>Click  in the first row. This will remove the second row leaving one remaining.</li> <li>Make the change and click <b>Save</b>.</li> </ol> </td> </tr> </table>	<b>+33</b>	<ol style="list-style-type: none"> <li>Click  to do a status change. <ul style="list-style-type: none"> <li>A row is added to the grid that displays the default entry date, which is the same as the withdrawal date. This ensures that you do not lose any membership days by typing the incorrect entry date for the status change.</li> <li>The fields display the data from the previous row by default.</li> </ul> </li> <li>Modify any information that changed for the entry date.</li> <li>Click <b>Save</b> to save the status change.</li> </ol>	<b>-33</b>	<p>If you entered a status change in error (e.g., the wrong student or wrong withdrawal or entry date), click  to remove the status change for the student. When you save, the exit date and exit reason are cleared, and the new row is removed from the grid.</p> <ol style="list-style-type: none"> <li>Click  in the the second row. This creates a new row (now 3 rows).</li> <li>Click  in the second row. This removes the third row.</li> <li>Click  in the first row. This will remove the second row leaving one remaining.</li> <li>Make the change and click <b>Save</b>.</li> </ol>
<b>+33</b>	<ol style="list-style-type: none"> <li>Click  to do a status change. <ul style="list-style-type: none"> <li>A row is added to the grid that displays the default entry date, which is the same as the withdrawal date. This ensures that you do not lose any membership days by typing the incorrect entry date for the status change.</li> <li>The fields display the data from the previous row by default.</li> </ul> </li> <li>Modify any information that changed for the entry date.</li> <li>Click <b>Save</b> to save the status change.</li> </ol>				
<b>-33</b>	<p>If you entered a status change in error (e.g., the wrong student or wrong withdrawal or entry date), click  to remove the status change for the student. When you save, the exit date and exit reason are cleared, and the new row is removed from the grid.</p> <ol style="list-style-type: none"> <li>Click  in the the second row. This creates a new row (now 3 rows).</li> <li>Click  in the second row. This removes the third row.</li> <li>Click  in the first row. This will remove the second row leaving one remaining.</li> <li>Make the change and click <b>Save</b>.</li> </ol>				

Changes to the following fields usually occur when there is a status change (withdrawal reason code 33). The new information is entered upon reentry.

<b>EB Cd</b>	<p>Select the code that applies to the student's emergent bilingual status as indicated by the Language Proficiency Assessment Committee (LPAC). Or, if the year in which the student is being monitored for EB has changed, select the code indicating the monitoring year.</p> <p>If the student is EB, an EB monitoring code cannot be selected.</p> <p>If the student has a row with the withdrawal reason code set to EP (<i>exit the bilingual or ESL program</i>), Annual Student Data Rollover (ASDR) will set <b>EB Cd</b> to F (<i>exited from EB - Monitored 1 (M1)</i>).</p> <p>If <b>EB Cd</b> is F, ASDR will increment the code to S (<i>exited from EB - Monitored 2 (M2)</i>).</p> <p>If <b>EB Cd</b> is S, ASDR will create a third year EB monitoring record in the new school year (<b>EB Ind</b> = 3).</p> <p>If <b>EB Cd</b> is 3, ASDR will create a fourth year EB Monitoring record in the new school year (<b>EB Ind</b> = 4).</p> <p>If <b>EB Cd</b> is 4, ASDR will create an EB code 5 record (<i>former EB/EL student</i>) in the new school year.</p> <p>If <b>EB Cd</b> is 5, ASDR will create an EB code 5 record in the new school year.</p>						
<b>Par Perm Cd</b>	If the student's parental permission has changed, indicate if the student's parent or guardian has granted permission to place the student in the bilingual or ESL program.						
<b>Lang Instru Program Svc</b>	Select the code that defines the language instruction program the student received.						
<b>Bil/ESL Fund Cd</b>	Select the language program in which the student participates during the reporting period that generates funding under TEC 48.105.						
<b>OLPT English Test</b>	<p>If you add data in one field, you must add data in all fields.</p> <table border="1" data-bbox="336 1249 1465 1444"> <tr> <td data-bbox="336 1249 427 1321"><b>Type</b></td> <td data-bbox="427 1249 1465 1321">Indicate the type of English oral language proficiency test administered to test the student.</td> </tr> <tr> <td data-bbox="336 1328 427 1400"><b>Date</b></td> <td data-bbox="427 1328 1465 1400">Type the date the test was administered. Use the MMDDYYYY format. Or, click  to select the date from a calendar.</td> </tr> <tr> <td data-bbox="336 1406 427 1444"><b>Score</b></td> <td data-bbox="427 1406 1465 1444">Type the student's test score.</td> </tr> </table>	<b>Type</b>	Indicate the type of English oral language proficiency test administered to test the student.	<b>Date</b>	Type the date the test was administered. Use the MMDDYYYY format. Or, click  to select the date from a calendar.	<b>Score</b>	Type the student's test score.
<b>Type</b>	Indicate the type of English oral language proficiency test administered to test the student.						
<b>Date</b>	Type the date the test was administered. Use the MMDDYYYY format. Or, click  to select the date from a calendar.						
<b>Score</b>	Type the student's test score.						
<b>OLPT Spanish Test</b>	<p>If you add data in one field, you must add data in all fields.</p> <table border="1" data-bbox="336 1496 1465 1691"> <tr> <td data-bbox="336 1496 427 1568"><b>Type</b></td> <td data-bbox="427 1496 1465 1568">Indicate the type of Spanish oral language proficiency test administered to test the student.</td> </tr> <tr> <td data-bbox="336 1574 427 1646"><b>Date</b></td> <td data-bbox="427 1574 1465 1646">Type the date the test was administered. Use the MMDDYYYY format. Or, click  to select the date from a calendar.</td> </tr> <tr> <td data-bbox="336 1653 427 1691"><b>Score</b></td> <td data-bbox="427 1653 1465 1691">Type the student's test score.</td> </tr> </table>	<b>Type</b>	Indicate the type of Spanish oral language proficiency test administered to test the student.	<b>Date</b>	Type the date the test was administered. Use the MMDDYYYY format. Or, click  to select the date from a calendar.	<b>Score</b>	Type the student's test score.
<b>Type</b>	Indicate the type of Spanish oral language proficiency test administered to test the student.						
<b>Date</b>	Type the date the test was administered. Use the MMDDYYYY format. Or, click  to select the date from a calendar.						
<b>Score</b>	Type the student's test score.						

If a record does not exist, a default row will automatically generate when the user retrieves a student then navigates to a new tab. An error message will display at the bottom of the page and the user must click **Save** to insert the rows.

Under **Home Language**:





<b>Descriptor</b>	Type the 2-digit code to indicate the language spoken in the student's home most of the time, as determined by the student's home language survey. (see 19 TAC 89.1215)
-------------------	---

Under **Student Language**:

<b>Descriptor</b>	Type the 2-digit code to indicate the language spoken in the student's home most of the time, as determined by the student's home language survey. (see 19 TAC 89.1215)
-------------------	---

Click **Save**.

## Other functions and features:

	<p><a href="#">Edit a record.</a></p> <p>The data is displayed in fields below the grid allowing you to make changes.</p> <p>Update the fields as needed, click <b>OK</b>, and then click <b>Save</b>. The changes are displayed in the grid.</p>
	<p><a href="#">Delete a row.</a></p> <ol style="list-style-type: none"> <li>1. Click  to delete a row. The row is shaded red to indicate that it will be deleted when the record is saved. You can select multiple rows to be deleted at the same time.</li> <li>2. Click <b>Save</b>. You are prompted to confirm that you want to delete the row. Click <b>Yes</b> to continue. Otherwise, click <b>No</b>.</li> </ol> <p>You can save edits and delete records in the same step (i.e., the changes are all committed when the record is saved).</p>
<b>Comments</b>	<p><a href="#">View or add comments.</a></p> <p>Click to view or add comments about the student. The Comments window opens.</p> <p>If comments exist for the student, an exclamation mark is displayed on the button and it is outlined in red.</p>
<b>TEA Unique ID</b>	<p><a href="#">Request an Unique ID from the state.</a></p> <p>Click on the TEA Unique ID button to request an Unique ID from the state for students and staff.</p>
<b>Hist Directory</b>	<p><a href="#">Retrieve a student enrolled in a prior school year.</a></p>
	<p><a href="#">View medical alert.</a></p> <p>The button is displayed if a medical warning exists for the student and <b>Consent to Display Alert</b> is selected on <a href="#">Health &gt; Maintenance &gt; Student Health &gt; Emergency</a>.</p> <p>Click to view the student's medical alert information.</p>
<b>Documents</b>	<p><a href="#">View or attach supporting documentation.</a></p>



## Back Cover