

SRG1400 - Student Exemptions

Table of Contents

ons
ons

SRG1400 - Student Exemptions

Registration > Reports > Registration Reports > Program > SRG1400 - Student Exemptions

This report provides STAAR/TAKS exemption information and student counts by grade level.

Run the report:

Description
Type the four-digit ending school year. For example, for the 2023-2024 school year, type 2024.
Type the three-digit campus ID, or click is to select the campus. Leave blank to select all campuses in the district.
NOTE: If you select to create the report for all campuses, any campuses excluded from district reporting (i.e., campuses that have the Exclude from District Reporting field selected on Registration > Maintenance > Campus Profile > Campus Information Maintenance > Control Info) are not included in the report. However, you can generate the report for an individual excluded campus by entering the campus ID.
Type the two-character grade level, click is to select the grade level, or leave blank to select all grade levels.
 Select active students only. Select inactive students only. Blank - Select all students.
Y - Print the entire social security number.
N - Print XXX-XX-XXXX for the social security number. M - Print the masked social security number (e.g., XXX-XX-1234).

Other functions and features:

Judeni	St	ud	lent	
--------	----	----	------	--

					Sort/Filter	Re	eset		
Dis	scipline/Attendance Suspension Discrepancies		Prog	ram ID: SDS1700					
	Sort/Filter				×				
(👻 🗸 Sort Criteria								
	Columns Available for Sorting	Sort	t Columns						
05	Discp Actn Date (YYYYMMDD)		endance Date						
	Discrepancy ISS/OSS		YYMMDD)	Ascending 🗸	J				
	From Date (YYYYMMDD)	Car	mpus ID	Ascending 🗸					
	Grd Lvl				,				
	Incident Number								
	Name								
	PEIMS Action Code								
	Period 00								
	Period 00 Period 01 Period 02								
	Period 01			ок]	Cancel				
(Lef	Period 01 Period 02	lick the field t	y which y	ou want to sor	t, and then	click 2.	The field	moves to the right g	rid.
for	Period 01 Period 02 Fitter Scitute ft grid) Columns Available of Sorting	Continue movir	ng fields to	ou want to sor o the right grid	t, and then I as needed.				
for	Period 01 Period 02 Filter Celture ft grid) Columns Available Sorting ght grid) Sort Columns	Continue movir Tou can rearrai	ng fields to nge the fie	ou want to sor o the right grid	t, and then l as needed. e the order in			moves to the right g the sort applied. Click	
for	Period 01 Period 02 ft grid) Columns Available (Sorting ght grid) Sort Columns	Continue movir ou can rearrai ame, and drag	ng fields to nge the fie g it up or o rid, for ead	ou want to sor o the right grid elds to indicate down to a new ch field, indica	t, and then l as needed. e the order in location.	n which y	ou want t		c a fie

	that you want. Not all reports allow this option.	
	e report window, click Sort/Filter to open the Sort/Filter window. By default, the Sort Criteria section is expanded. C riteria to expand the Filter Criteria section.	lick
	Sort/Filter Reset	
Discipline/	e/Attendance Suspension Discrepancies Program ID: SDS1700	
Sort/F	Filter	
) sort Criteria	
05		
	Add Criterion Delete Selected	
	Column Operator Value Logical Attendance Date (YYYYMMDD) > = > AND >	
	OK Cancel	
If the rep available	port does not allow sorting, the Filter button is displayed instead of the Sort/Filter button, and sort criterion fields a e.	re n
available		
Click Add	d Criterion to add new filter criteria. A blank row is added to the grid.	
	-	
Column	Select a field by which to filter the data. The drop down lists the columns that appear on the report. or Select an operator.	
operate		
	= Equals ≠ Not equals	
	> Greater than \geq Greater than or equal to	
	< Less than	
Value	< Less than ≤ Less than or equal to	viev
Value	< Less than	viev
Value	 < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to 	viev
Value	 < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. 	viev
Value	 < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMMDD format. 	viev
Value	 < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: • If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. 	viev
Value Add Crit	 < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. 	
	 < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. 	
	 < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. Example: Add another row. Select the logical connector (AND or OR) in the Logical field. Continue adding rows as needed. The Logical does not appear until you click Add Criterion to add an additional row. 	l fie
	 < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. 	l fie
	 < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. Select the logical connector (<i>AND</i> or <i>OR</i>) in the Logical field. Continue adding rows as needed. The Logica does not appear until you click Add Criterion to add an additional row. Using the AND operator limits search results, because the program looks only for records that contain bo criterion. 	I fie
Add Crit	 < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY for OR) in the Logical field. Continue adding rows as needed. The Logical does not appear until you click Add Criterion to add an additional row. Using the AND operator limits search results, because the program looks only for records that contain bo criterion. Using the OR operator expands search results, because the program looks for records that contain either criterion or the other, or both. 	l fie
Add Crit	 < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YO or OR) in the Logical field. Continue adding rows as needed. The Logical does not appear until you click Add Criterion to add an additional row. Using the AND operator limits search results, because the program looks only for records that contain bo criterion. Using the OR operator expands search results, because the program looks for records that contain either criterion or the other, or both. Selected Delete selected row.	l fie
Add Crit	 < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: if the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. if the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. if the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. if the date is displayed in the MM/YYY format, the filter value must be in the YYMM format. if the date is displayed in the MM/YY format, the filter value must be in the YYYYMM format. if the date is displayed in the MM/YY format, the filter value must be in the YYMM format. if the date is displayed in the MM/YY format, the filter value must be in the YYMM format. if the date is displayed in the MM/YY format, the filter value must be in the YYMM format. if the date is displayed in the MM/YY for OR) in the Logical field. Continue adding rows as needed. The Logical does not appear until you click Add Criterion to add an additional row. Using the AND operator limits search results, because the program looks only for records that contain bo criterion. Using the OR operator expands search results, because the program looks for records that contain either criterion or the other, or both. Selected Delete selected row. Select the row, and then click the button. The row is deleted from the filter criteria. 	l fie
Add Crit	 < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YO or OR) in the Logical field. Continue adding rows as needed. The Logical does not appear until you click Add Criterion to add an additional row. Using the AND operator limits search results, because the program looks only for records that contain bo criterion. Using the OR operator expands search results, because the program looks for records that contain either criterion or the other, or both. Selected Delete selected row.	l fie
Add Crit Delete S Click OK	 < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: if the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. if the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. if the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. if the date is displayed in the MM/YYY format, the filter value must be in the YYMM format. if the date is displayed in the MM/YY format, the filter value must be in the YYYYMM format. if the date is displayed in the MM/YY format, the filter value must be in the YYMM format. if the date is displayed in the MM/YY format, the filter value must be in the YYMM format. if the date is displayed in the MM/YY format, the filter value must be in the YYMM format. if the date is displayed in the MM/YY for OR) in the Logical field. Continue adding rows as needed. The Logical does not appear until you click Add Criterion to add an additional row. Using the AND operator limits search results, because the program looks only for records that contain bo criterion. Using the OR operator expands search results, because the program looks for records that contain either criterion or the other, or both. Selected Delete selected row. Select the row, and then click the button. The row is deleted from the filter criteria. 	l fie
Add Crit Delete S Click OK Click Car	 Less than Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYYMM format. Using the AND operator IM/Y for OR in the Logical field. Continue adding rows as needed. The Logical does not appear until you click Add Criterion to add an additional row. Using the AND operator limits search results, because the program looks only for records that contain either criterion. Using the OR operator expands search results, because the program looks for records that contain either criterion or the other, or both. Selected Delete	l fie
Add Crit Delete S Click OK Click Car NOTE: St	 Less than Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. Using the AND operator Imits search results, because the program looks only for records that contain either criterion. Using the OR operator expands search results, because the program looks for records that contain either criterion or the other, or both. Selected Delete selected row. Select the row, and then click the button. The row is deleted	l fie th
Add Crit Delete S Click OK Click Car NOTE: So In Test So	 Less than Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. Using the AND operator (AND or OR) in the Logical field. Continue adding rows as needed. The Logical does not appear until you click Add Criterion to add an additional row. Using the AND operator expands search results, because the program looks only for records that contain either criterion. Selected Delete selected row. Select the row, and then click the button. The row is deleted from the filter criteria. C to apply the selected fi	I fie th one
Add Crit Delete S Click OK Click Car NOTE: So At Risk, F	 Less than Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to only data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. Using the AND operator Imits search results, because the program looks only for records that contain either criterion. Using the OR operator expands search results, because the program looks for records that contain either criterion or the other, or both. Selected Delete selected row. Select the row, and then click the button. The row is deleted	I fie th one

Student

Reset report data. Click to restore the report to the original view, removing all sorting and filtering that has been applied.



Back Cover