

Locations - FIN2855

Table of Contents

	-
ocations.	- 1
.ucaliulis	

Locations

Finance > Tables > Travel > Locations

This tab is used to maintain a list of travel locations to be used for employee travel reimbursement requests.

Retrieve a record:

Field	Description
Start Location ID	Type the starting location ID from which you want to retrieve.
Location Name	Type the starting location name from which you want to retrieve.

☐ Click **Retrieve**. A list of location IDs or names starting with the data entered is displayed.

Add a record:

☐ Click **+Add** to add a row.

Location ID	Type a unique user-defined location ID. This field can be a maximum of twenty alphanumeric characters. This is a required field.
1	Type a user-defined location name. This field can be a maximum of thirty-five alphanumeric characters. This is a required field.
Address	Type the street number and name for the location. This field can be a maximum of 35 characters.
City	Type the city name for the location. This field can be a maximum of 30 characters.
St	Click \checkmark to select the state for the location.
Zip	Type the five-digit zip code for the location.
Zip 4	Type the additional four digits of the zip code.

☐ Click **Save**.

Other functions and features:

	The Retrieve button is also used to retrieve information from the last save. If you click Retrieve , any unsaved changes are lost.
	Click to delete a row. The row is shaded red to indicate that it will be deleted when the record is saved.
Print	Click to print the list of travel locations. Review the report.



Back Cover