

Create New Run

Table of Contents

Before Starting Checklist 1
Create New Run 1

Quick Guide: ASCENDER DataConnect (ADC) - Create New Run

Created: 08/27/2026
Reviewed: 9/16/26
Revised: 9/16/26

Use this guide to create a new run in ASCENDER DataConnect (ADC) to publish data in the selected Operational Data Store (OSD) instance.

At the beginning of the school year, it is recommended to send all domains first and then resolve Level 1 Errors in domain dependency order until all applicable domains are publishing successfully.

IMPORTANT: Some of the images and/or examples provided in this document are for informational purposes only and may not completely represent your LEA's (School System) process.

Guides referenced in this document:
ASCENDER DataConnect (ADC): Create Scheduled Runs

Before Starting Checklist


❑ Confirm that applicable users have the appropriate security permissions for ADC.

- ACCESS Role - Allows users to access DataConnect

Create New Run


NOTE: If you would like to schedule a New Run, please use the Quick Guide: ASCENDER DataConnect (ADC) - Create Scheduled Runs.

1. Access the ASCENDER DataConnect (ADC) tool.



2. From the Dashboard, click **Create New Run**. The Create Run page opens.

❑ Complete the following fields for the New Data Sync Run:



- In the **District ID** field, click ⌄ to select the applicable county-district ID.
- In the **School Year** field, click ⌄ to select the applicable school year (2027).
- In the **School Year Catalog** field, click ⌄ to select the applicable catalog.
- Under **Domain Selection**:
  - Leave the defaulted **Select All Domains** checkbox selected.
  - Resolve any **Level 1 Errors** in domain dependency order until all applicable domains are

publishing successfully.

3. Click **Submit**.


ASCENDER
ELEVATING TECHNOLOGY SOLUTIONS
ASCENDER GUIDES
ASCENDER
ELEVATING TECHNOLOGY SOLUTIONS

Back Cover