

adc_createnewrun_body


Table of Contents

Use this guide to create a new run in ASCENDER DataConnect (ADC) to publish data in the selected Operational Data Store (OSD) instance.

At the beginning of the school year, it is recommended that domains be sent individually in domain dependency order until all applicable domains are publishing successfully.


Create New Run

Access the ASCENDER DataConnect (ADC) tool.



1. From the Dashboard, click **Create New Run**. The Create Run page opens.

❑ Complete the following fields for the New Data Sync Run:



- In the **District ID** field, click ⌄ to select the applicable county-district ID.
- In the **School Year** field, click ⌄ to select the applicable school year (2027).
- In the **School Year Catalog** field, click ⌄ to select the applicable catalog.
- Under **Domain Selection**:
  - Clear the **Select All Domains** checkbox.
  - Following the domain dependency order, select one domain at a time.

❑ Click **Submit**.

2. Review the Level 1 errors and make any necessary corrections in ASCENDER Enterprise.

3. As Level 1 Errors become manageable, repeat steps 1 and 2, and continue adding domains in dependency order.

4. After all domains are sending successfully, repeat step 1, except now **Under Domain Selection**, mark the **Select All Domains** checkbox to include all domains in the run. Now, you can begin creating scheduled runs.


ASCENDER
ELEVATING TECHNOLOGY SOLUTIONS
ASCENDER GUIDES
ASCENDER
ELEVATING TECHNOLOGY SOLUTIONS

Back Cover