

# **Immunization Type**

# **Table of Contents**

### **Immunization Type**

#### Health > Maintenance > Tables > Immunization Type

This tab allows you to maintain a list of district-defined immunization codes. Codes 1-69 are system codes that cannot be changed. Only codes 70-99 can be added or updated.

The data in the table populates the **Immunization Type** field on Maintenance > Student Health > Immunization.

**NOTE**: ASCENDER follows the Texas Minimum State Vaccine Requirements.

User-defined immunization type codes are not used when calculating for state requirements.

	Save			
_IM	MUNIZAT	ION TYPE	MEDICAL CO	NDITION
	Delete	Edit	Code	Description
			01	DT
			02	Td
			03	DTP
			04	Diphtheria
			05	Pertussis
			06	Tetanus Toxoid
			07	Polio
			08	MMR
			09	Measles
			10	Mumps
			11	Rubella
			12	Hib (TITER Series of 3/Booster)
			13	Hib (PEDVAX Series of 2/Booster)
			14	Influenza
			15	Measles/Mumps
			16	Measles/Rubella
			17	Mumps/Rubella
			18	Hib (Pro-Hibit Single Dose)
			19	Hib Conjugate Vaccine
			20	DTaP
			21	DTPH / Hib
			22	Hepatitis B
			23	Varicella (chickenpox)
			24	Hepatitis A
			25	Pneumococcal Conjugate (PCV7)
			26	Tdap
			27	MMRV
			28	Recombivax (Hep B)
			29	Meningococcal (MCV4)
			30	PCV13/PPSV23

### **Update data:**

Existing immunization type codes are listed in order by code. The system codes (1-69) are listed first, and user-defined codes (70-99) are listed next.

☐ Click **+Add** to add an immunization type.

A pop-up window opens.

Code	Type a two-digit code for the immunization type (70-99).
•	Type the description for the code, up to 40 characters.
	<b>NOTE:</b> Only the first 35 characters of the description are included in the TREx Export file.

	Student
□ C	lick <b>OK</b> to close the window.
-	The new immunization type is displayed in the grid.
□ C	lick <b>Save</b> .
Q	Edit a description. Update the fields as needed, click <b>OK</b> , and then click <b>Save</b> . The changes are displayed in the grid. Or, click <b>Cancel</b> to close the window without making changes.
	Delete a code.
	1. Click $\overline{\mathbb{Q}}$ to delete a row. The row is shaded red to indicate that it will be deleted when the record is saved. You can select multiple rows to be deleted at the same time.
	2. Click <b>Save</b> . You are prompted to confirm that you want to delete the row. Click <b>Yes</b> to continue. Otherwise, click <b>No</b> .
	You can save edits and delete records in the same step (i.e., the changes are all committed when the record is saved).

You cannot delete an immunization code that is used in a student record.



# **Back Cover**