

SCH0133 - StudentPortal - Course List

i

Table of Contents

SCH0133 - StudentPortal - Course List	

SCH0133 - StudentPortal - Course List

Scheduling > Reports > Scheduling Reports > Master Schedules > SCH0133 -StudentPortal - Course List

This report lists next year course, pre-grid grade restriction, and gender restriction information for a campus. The data can be used for StudentPortal to verify that restrictions are set correctly and to show the courses available for each grade level.

If a course does not have a pre-grid grade restriction for each grade level at the campus, the course is displayed for all grade levels.

Excluded courses are omitted from this report.

Run the report:

Parameter	Description
Campus ID	Type the three-digit campus ID, or click [‡] to select the campus.
	Type the two-character grade level, click to select the grade level, or leave blank to select all grade levels.

Other functions and features:

Judeni	St	ud	lent	
--------	----	----	------	--

				Sort/Filter	Reset)
Discipline/Attendance Suspension	Discrepancies	Program	n ID: SDS1700			
Sort/Filter				×		
Sort Criteria						
Columns Available for Sort	ng So	ort Columns				
05 Discp Actn Date (YYYYMME		Attendance Date	Ascending V			
Discrepancy ISS/OSS		YYYYMMDD)				
From Date (YYYYMMDD) Grd Lvl		Campus ID	Ascending 🗸			
Incident Number	\geq					
Name	<					
PEIMS Action Code Period 00						
Period 01						
Period 01 Period 02	•					
	Ţ					
	Ţ		OK Car	ncel		
	·		OK Car	ncel		
	•		OK Car	ncel		
Period 02		· · · · · ·				
(Left grid) Columns A	vailable Click the field	by which you	u want to sort, a	and then clic	k 🚬. The fie	ld moves to the right grid.
(Left grid) Columns A	Continue mov	by which you ring fields to t	u want to sort, a	and then clic s needed.		
(Left grid) Columns A	Continue mov	by which you ving fields to t ange the field	u want to sort, a the right grid as to indicate th	and then clic s needed. ne order in w		ld moves to the right grid. It the sort applied. Click a f
(Left grid) Columns A	Continue mov	by which you ving fields to t ange the field	u want to sort, a	and then clic s needed. ne order in w		
(Left grid) Columns A	Continue mov mns You can rearra name, and dra	by which you ving fields to t ange the fielc ag it up or do	u want to sort, a the right grid as to indicate th wn to a new loo	and then clic s needed. ne order in w cation.	hich you wan	t the sort applied. Click a f
(Left grid) Columns A	Continue mov mns You can rearra name, and dra	by which you ving fields to t ange the fielc ag it up or do grid, for each	a want to sort, a the right grid as to indicate th wn to a new loo field, indicate	and then clic s needed. ne order in w cation.	hich you wan	
(Left grid) Columns A	Continue mov Imns You can rearra name, and dra • In the right g	by which you ving fields to t ange the fielc ag it up or do grid, for each	a want to sort, a the right grid as to indicate th wn to a new loo field, indicate	and then clic s needed. ne order in w cation.	hich you wan	t the sort applied. Click a f

From the	report window, click Sort/Eiltor to apon the Sort/Eiltor window. By default, the Sort Critoria section is expanded. Click
	report window, click Sort/Filter to open the Sort/Filter window. By default, the Sort Criteria section is expanded. Cliv iteria to expand the Filter Criteria section.
	Fine 4 1 Lat Sort/Fitter Reset
Discipline//	Attendance Suspension Discrepancies Program ID: SDS1700
Sort/Fi	ilter X
	зол спена
	Filter Criteria
	Add Criterion Delete Selected
	Column Operator Value Logical
	□ Attendance Date (YYYYMMDD) ▼ = ▼ ▲ND ▼
	OK Cancel
If the repo available.	port does not allow sorting, the Filter button is displayed instead of the Sort/Filter button, and sort criterion fields are
available.	·
Click Add	d Criterion to add new filter criteria. A blank row is added to the grid.
Column	
Operato	pr Select an operator.
	= Equals
	≠ Not equals
	> Greater than
	\geq Greater than or equal to
Value	≥ Greater than or equal to < Less than
Value	 ≥ Greater than or equal to < Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vi
Value	 Secreter than or equal to Less than Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vionly data for a specific date. Note: When filtering report data by date, you must use the following formats:
Value	 Secreter than or equal to Less than Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vionly data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMMDD format.
Value	 > Greater than or equal to < Less than < Less than < Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vi only data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format.
	 Secreter than or equal to Less than Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vionly data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format.
Value Add Crit	 Secreter than or equal to Less than Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vionly data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. Select the logical connector (AND or OR) in the Logical field. Continue adding rows as needed. The Logical field.
	 Secreter than or equal to Less than Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vionly data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYYMM format.
	 Secreter than or equal to Less than Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vionly data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYYYMM format. Select the logical connector (AND or OR) in the Logical field. Continue adding rows as needed. The Logical foes not appear until you click Add Criterion to add an additional row. Using the AND operator limits search results, because the program looks only for records that contain both
	 ≥ Greater than or equal to Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to viol y data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. Kerion Add another row. Select the logical connector (AND or OR) in the Logical field. Continue adding rows as needed. The Logical field does not appear until you click Add Criterion to add an additional row. Using the AND operator limits search results, because the program looks only for records that contain both criterion.
	 Serveter than or equal to Less than Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vionly data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. Add another row. Select the logical connector (AND or OR) in the Logical field. Continue adding rows as needed. The Logical to does not appear until you click Add Criterion to add an additional row. Using the AND operator limits search results, because the program looks only for records that contain both criterion. Using the OR operator expands search results, because the program looks for records that contain either or
Add Crit	 ≥ Greater than or equal to Less than ≤ Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to viol y data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. Kerion Add another row. Select the logical connector (AND or OR) in the Logical field. Continue adding rows as needed. The Logical field does not appear until you click Add Criterion to add an additional row. Using the AND operator limits search results, because the program looks only for records that contain both criterion.
Add Crit	 Sereater than or equal to Less than Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vious only data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. Add another row. Select the logical connector (AND or OR) in the Logical field. Continue adding rows as needed. The Logical to does not appear until you click Add Criterion to add an additional row. Using the AND operator limits search results, because the program looks only for records that contain both criterion. Using the OR operator expands search results, because the program looks for records that contain either o criterion or the other, or both.
Add Crit Delete S	 Sereater than or equal to Less than or equal to Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vionly data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. Using the AND operator (AND or OR) in the Logical field. Continue adding rows as needed. The Logical to does not appear until you click Add Criterion to add an additional row. Using the AND operator limits search results, because the program looks only for records that contain both criterion. Using the OR operator expands search results, because the program looks for records that contain either o criterion or t
Add Crit Delete S Click OK 1	 Sereater than or equal to Less than Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vionly data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYMM format. Using the AND operator limits search results, because the program looks only for records that contain both criterion. Using the OR operator expands search results, because the program looks for records that contain either
Add Crit	 Sereater than or equal to Less than or equal to Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vionly data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YY format, the filter value must be in the YYMM format. Using the AND operator (AND or OR) in the Logical field. Continue adding rows as needed. The Logical to does not appear until you click Add Criterion to add an additional row. Using the AND operator limits search results, because the program looks only for records that contain both criterion. Using the OR operator expands search results, because the program looks for records that contain either o criterion or t
Add Crit Delete S Click OK f	 Sereater than or equal to Less than Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vionly data for a specific date. Note: When filtering report data by date, you must use the following formats: If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYMM format. If the date is displayed in the MM/YYY format, the filter value must be in the YYMM format. Using the AND operator limits search results, because the program looks only for records that contain both criterion. Using the OR operator expands search results, because the program looks for records that contain either
Add Crit Delete S Click OK f Click Can NOTE: Sc	 > Greater than or equal to < Less than < Less than or equal to Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vionly data for a specific date. Note: When filtering report data by date, you must use the following formats: if the date is displayed in the MM/DD/YYY format, the filter value must be in the YYYYMMDD format. if the date is displayed in the MM/DYYY format, the filter value must be in the YYYYMM format. if the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format. if the date is displayed in the MM/YY format, the filter value must be in the YYYYMM format. terion Add another row. Select the logical connector (<i>AND</i> or <i>OR</i>) in the Logical field. Continue adding rows as needed. The Logical is does not appear until you click Add Criterion to add an additional row. Using the AND operator limits search results, because the program looks only for records that contain both criterion. Using the OR operator expands search results, because the program looks for records that contain either o criterion or the other, or both. Selected Delete selected row. Select the row, and then click the button. The row is deleted from the filter criteria. to apply the selected filter criteria to the report. the close the dialog box without applying a filter. ome applications allow you to filter by specific data:
Add Crit Delete S Click OK f Click Can NOTE: So In Test So	 Sereater than or equal to <pre>Less than</pre> Less than or equal to <pre>Type the value by which you want to filter. For example, if you selected a date in the Column field, type a date to vi only data for a specific date. Note: When filtering report data by date, you must use the following formats: <pre>If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMMDD format.</pre> <pre>If the date is displayed in the MM/DD/YYYY format, the filter value must be in the YYYYMM format.</pre> <pre>If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format.</pre> <pre>If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format.</pre> <pre>If the date is displayed in the MM/YYY format, the filter value must be in the YYYYMM format.</pre> <pre>If the date is displayed in the MM/YYY format, the filter value must be in the YYYMM format.</pre> <pre>If the date is displayed in the MM/YYY format, the filter value must be in the YYMM format.</pre> <pre>If the date is displayed in the MM/YYY format, the filter value must be in the YYMM format.</pre> <pre>If the date is displayed in the MM/YYY format, the filter value must be in the YYMM format.</pre> <pre>If the date is displayed in the MM/YYY format, the filter value must be in the YYMM format.</pre> <pre>If the date is displayed in the MM/YYY format, the filter value must be in the YYMM format.</pre> <pre>If the date is displayed in the MM/YYY format, the filter value must be in the YYMM format.</pre> <pre>If the date is displayed in the MM/YY format, the filter value must be in the YYMM format.</pre> <pre></pre></pre>

Student

Reset report data. Click to restore the report to the original view, removing all sorting and filtering that has been applied.



Back Cover