

Create TSDS Core Collections Interchanges

Table of Contents

Create TSDS Core Collections Interchanges	

iii

Create TSDS Core Collections Interchanges

State Reporting > Utilities > Create TSDS Core Collections Interchanges

This utility creates Core Collections interchanges from the data in the Student tables. You can create all of the interchanges at once, or you can select the individual interchange you wish to create.


The system will create a zipped file that can be submitted to TSDS.

Interchanges for the following collections can be created:

- Charter School Waitlist
- Child Find
- Class Roster Winter
- Class Roster Fall
- Early Childhood Data System (ECDS) KG
- Early Childhood Data System (ECDS) PK
- Residential Facilities (RF) Tracking
- Special Education Language Acquisition (SELA)
- State Performance Plan Indicator (SPPI) 14

Create interchanges:

Residential Facility Tracking



Core Collection	Select the submission. For the RF Tracking submission, select Residential
	Facility Tracking.

Ending School Year (Display only) The submission year as entered in the Submission Year field		
	on State Reporting > Options is displayed.	
Campus	Type a three-digit campus ID, or leave blank to create interchanges for all	
	campuses.	

The interchanges are listed according to the **Core Collection** field.

☐ Select All TSDS *Collection* Interchanges (e.g., All TSDS Residential Facility Tracking Interchanges) to create all interchanges for the Residential Facility Tracking.

Or, select the individual interchange you want to create.

Selected	The field is enabled if you selected all interchanges or a student-related interchange.	
Students	Type or click the ellipsis to select the students for whom you want to create an	
	interchange. Separate multiple students (Texas unique student IDs) with a comma	
	(e.g., 6895409515,1628657282,2986961713). Leave blank to select all students.	

☐ Click **Run**.

When the process is complete, you are prompted to save a .zip file containing the individual files for the completed interchanges.

The default name of the zipped folder is *District_YYYY-MM-DD.HH-MM-SS*.TSDS.zip, where:

- District is the six-digit county-district number
- YYYY-MM-DD is the date when the folder was created
- HH-MM-SS is the hour, minute, and second when the folder was created

Example: 015102-2018-11-11.15-30-22.TSDS.zip

The default name for the individual files is District_Campus_Collection_TimeStamp_Interchange.xml, where:

- *District* is the six-digit county-district number
- Campus is the three-digit campus ID
- Collection is the nine-character collection (ending school year & submission)
- *TimeStamp* is the 12-digit date-time-stamp when the interchange was created (YYYYMMDDHHMM)
- Interchange is the name of the interchange created.

Example:

015116 000 2020TSDS 201912111420 InterchangeEducationOrganizationExtension.xml

If errors are encountered:

- 1. Correct the data in ASCENDER.
- 2. Run the Delete/Clear Tables utility to delete or clear previous data for the desired tables.
- 3. Re-extract the data.
- 4. Create the interchanges again.

Early Childhood Data System - KG

Collection	Select the submission. For the ECDS KG submission, select <i>Early Childhood Data System - KG</i> .
Ending School Year	(Display only) The submission year, as entered in the Submission Year field on State Reporting > Options, is displayed.
	For example, for the 2022-2023 ECDS KG submission, the field would display 2023.
Campus	Type the three-digit campus ID. Leave blank to select all campuses in the district.
As-Of Date	(Required) Enter the as-of date for running this utility. NOTE: This date is only used as the reading assessment date if the corresponding ECDS Assessment date on Registration > Maintenance > Student Enrollment > Demo2 is blank.
	However, this date is required regardless, because it is used as the staff association date as well as for determining the course-section in the the master schedule.

- ☐ Select the following individual interchanges for the ECDS KG submission.
 - All TSDS Early Childhood Data System KG Interchanges
 - Education Organization Interchange
 - Master Schedule Interchange
 - Staff Association Interchange
 - Student Enrollment Interchange
 - Student Parent Interchange

Courses with the following service IDs are included:

- 01020000
- 02520004
- 02530002
- 02540005
- 02550020
- 02560005
- 02640005
- 02650000

- 02660009
- 02670000
- 02562005
- 02625001
- 02562005 Added/New
- 02625001 Added/New

Selected Students	The field is enabled if you selected all interchanges or a student-related interchange. Type or click the ellipsis to select the students for whom you want to create an interchange. Separate multiple students (Texas unique student IDs) with a comma (e.g., 6895409515,1628657282,2986961713). Leave blank to select all students. Note: The As-Of Date field must be completed in order for this field to retrieve students.
Selected Staff	The field is enabled if you selected all interchanges or a staff-related interchange. Type or click the ellipsis to select the employees for whom you want to create an interchange. Separate multiple employees (Texas unique staff IDs) with a comma (e.g., 4732877094,2568052155). Leave blank to select all staff. Note: The As-Of Date field must be completed in order for this field to retrieve staff.

☐ Click **Run**.

When the process is complete, you are prompted to save a .zip file containing the individual files for the completed interchanges.

The default name of the zipped folder is *District YYYY-MM-DD.HH-MM-SS*.TSDS.zip, where:

- District is the six-digit county-district number
- YYYY-MM-DD is the date when the folder was created
- HH-MM-SS is the hour, minute, and second when the folder was created


Example: 015102-2020-01-15.15-30-22.TSDS.zip

The default name for the individual files is District Campus Collection TimeStamp Interchange.xml, where:

- District is the six-digit county-district number
- Campus is the three-digit campus ID
- Collection is the nine-character collection (ending school year & submission)
- *TimeStamp* is the 12-digit date-time-stamp when the interchange was created (YYYYMMDDHHMM)
- *Interchange* is the name of the interchange created.

Example: 015102 000 2021TSDS 202001151420 InterchangeStudentProgramExtension.xml

- \square If errors are encountered:
 - 1. Correct the data in ASCENDER.
 - 2. Re-run the interchange(s).



Back Cover